


## Colliers série Mini (acier électro-zingué)



<u>Ø min./max. (mm)</u> 6 - 8	<u>Serrage vis (Nm)</u> 1,5	<u>Largeur de bande (mm)</u> 9	<u>Conditionnement (Boîte carton)</u> 100
<u>Matière</u> Acier zingué traité			

Description				
Référence	Ø min./max. (mm)	Serrage vis (Nm)	Largeur de bande (mm)	Conditionnement (Boîte carton)
<b>PBM 8</b>	6 - 8	1,5	9	100
<b>PBM 9</b>	7 - 9	1,5	9	100
<b>PBM 10</b>	8 - 10	1,5	9	100
<b>PBM 11</b>	9 - 11	1,5	9	100
<b>PBM 12</b>	9 - 12	1,5	9	100
<b>PBM 13</b>	10 - 13	1,5	9	100
<b>PBM 14</b>	11 - 14	1,5	9	100
<b>PBM 15</b>	12 - 15	1,5	9	100

Référence	Ø min./max.(mm)	Serrage vis (Nm)	Largeur de bande (mm)	Conditionnement (Boîte carton)
<b>PBM 16</b>	13 - 16	1,5	9	100
<b>PBM 17</b>	14 - 17	1,5	9	100



### Dimensions

Référence	A mm	B mm
<b>PBM 8</b>	0.709	0.02
<b>PBM 9</b>	0.709	0.02
<b>PBM 10</b>	0.709	0.02
<b>PBM 11</b>	0.827	0.02
<b>PBM 12</b>	0.827	0.02
<b>PBM 13</b>	0.827	0.02
<b>PBM 14</b>	0.827	0.02

Référence	A mm	B mm
<b>PBM 15</b>	0.984	0.02
<b>PBM 16</b>	0.984	0.02
<b>PBM 17</b>	0.984	0.02